



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 28, 2017

Matthew Granahan
Regulatory Manager
Nufarm Americas, Inc.
4020 Aerial Center Parkway, Suite 101
Morrisville, NC 27560

Subject: Label Amendment – Supplemental labels for me-too uses on apples and brassicas
Product Name: Clean Slate
EPA Registration Number: 228-491
Application Date: May 11, 2016
Decision Number: 517701

Dear Mr. Granahan:

The amended labels referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, are acceptable. This approval is only for supplemental labels that are addendums to the master label. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

These supplemental labels contain new directions which are in addition to those found on the label on or attached to the container. Therefore, these supplemental labeling do not by itself constitute the complete set of use directions. The complete set of use directions is set forth on the container label as combined with this supplemental labeling.

Stamped copies of your labeling are enclosed for your records. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling.

Also, this letter acknowledges your request to remove/invalidate alternate formulation #2 dated January 12, 2007.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Mindy Ondish by phone at 703-605-0723, or via email at ondish.mindy@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague".

Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure



ACCEPTED
03/28/2017
Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 228-491

SUPPLEMENTAL LABEL

Clean Slate®

This supplemental label expires on April 1, 2020, and must not be used or distributed after this date.

**KEEP OUT OF REACH OF CHILDREN
CAUTION / PRECAUCION**

**EPA Reg. No. 228-491
Expires: April 1, 2020**

POSTEMERGENCE BROADLEAF WEED CONTROL IN APPLES

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR THIS PRODUCT BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING. "Label" as used in this supplemental labeling refers to the label booklet for this product and this supplemental.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS IN THE PRODUCT LABEL BOOKLET MUST BE FOLLOWED, INCLUDING STATEMENTS PERTAINING TO THE WORKER PROTECTION STANDARDS, ON THE EPA REGISTERED LABEL FOR CLEAN SLATE (EPA REG. NO. 228-491).

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This label must be in the possession of the user at the time of application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

APPLES

(Not for Use or Distribution in Nassau and Suffolk Counties in New York State)

TARGET BROADLEAF WEEDS	APPLICATION RATE	USE RESTRICTIONS
Aster Burdock Clover, red ¹ Clover, white ¹ Curly dock Dandelion Goldenrod Horseweed (Marestail) Nightshade, black ² Nightshade, hairy ² Pineappleweed Sowthistle, annual ³ Thistle, Canada ³ Thistle, musk Vetch ¹ Volunteer alfalfa	1/3 – 2/3 pt/A (0.125 – 0.25 lb ae / acre)	<ul style="list-style-type: none"> • Preharvest Interval: Do not apply within 30 days of harvest. • Make one to two broadcast applications per crop per year. • Do not exceed a total of 2/3 pint per acre per crop per year. • Apply this product to non-bearing (well established trees, 1 year or older) and bearing trees. • East of the Rocky Mountains, do not apply this product during bloom. • Avoid direct contact with foliage, fruit or tree trunks. • Do not apply by air.

¹ Apply this product to clover and vetch from weed emergence up to the 5- leaf stage of growth.

² Apply this product to nightshade (black and hairy) at the 2- to 4- leaf stage of growth.

³ For control of Canada thistle and annual sowthistle, apply this product from rosette up to bud stage.

Use this product for postemergence control of broadleaf weeds listed above and/or on the Section 3 label that are infesting apples.

Application Rate

Apply 1/3 to 2/3 pint of this product per acre with ground equipment in 10 gallon or more total spray volume per acre. Use the higher specified rate for heavy infestations or when greater residual control is desired.

Tank Mixtures

This product may be tank mixed with other herbicides labeled for use on apples.

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

NOTICE

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

**Manufactured For Nufarm Americas Inc.
11901 S. Austin Ave. | Alsip, IL 60803**

(RV032217)

Clean Slate is a registered trademark of Nufarm Americas Inc.



ACCEPTED
03/28/2017
Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 228-491

SUPPLEMENTAL LABEL

Clean Slate®

This supplemental label expires on April 1, 2020, and must not be used or distributed after this date.

**KEEP OUT OF REACH OF CHILDREN
CAUTION / PRECAUCION**

**EPA Reg. No. 228-491
Expires: April 1, 2020**

POSTEMERGENCE BROADLEAF WEED CONTROL IN BRASSICA (COLE) LEAFY VEGETABLES (CROP GROUP 5)*

*Brassica (cole), leafy vegetables, including broccoli, broccoli raab, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, Chinese broccoli, Chinese cabbage (boy choy), Chinese cabbage (napa), Chinese mustard cabbage, collards, kale, kohlrabi, Mizuna, mustard greens, mustard spinach, rape greens

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS IN THE PRODUCT LABEL BOOKLET MUST BE FOLLOWED, INCLUDING STATEMENTS PERTAINING TO THE WORKER PROTECTION STANDARDS, ON THE EPA REGISTERED LABEL FOR CLEAN SLATE (EPA REG. NO. 228-491).

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

This label must be in the possession of the user at the time of application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

BRASSICA (COLE) LEAFY VEGETABLES (CROP GROUP 5)*

For Use and Distribution Only in the States or Arizona, Arkansas, California, Colorado, Connecticut, Delaware, Florida, Georgia, Maryland, Michigan, Missouri, New Hampshire, New Jersey, New Mexico, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Texas, Vermont, Virginia, West Virginia and Wisconsin

(Not for Use or Distribution in Nassau and Suffolk Counties in New York State)

TARGET BROADLEAF WEEDS	APPLICATION RATE	USE RESTRICTIONS
Buckwheat, wild Chamomile Clover Cocklebur, common Dandelion Galinsoga Lettuce, prickly Pineappleweed Ragweed Smartweed	1/4 – 1/2 pt/A (0.09375 – 0.187 lb ae/A)	<ul style="list-style-type: none"> • Preharvest Interval: Do not apply within 30 days of harvest. • Make one to two broadcast applications per crop per year. • Do not exceed a total of 1/2 pint (0.187 lb ae) per acre per crop per year. • In New York and California, the maximum application rate for this product is 2/3 pint per acre per growing season. Do not exceed the cumulative amount of 2/3 pint (0.25 lb ae) of clopyralid per acre per crop year. • In Florida, use only on cabbage, Chinese cabbage (napa), and Chinese mustard cabbage (gai choy). • Do not apply by air.
Sowthistle, annual ¹ Thistle, Canada ¹	1/3 – 1/2 pt/A (0.125 – 0.187 lb ae/A)	

¹ Suppression only

Broadcast Application Rate

Apply uniformly with ground equipment in a minimum of 10 to 40 gallons of water per acre. For suppression of Canada thistle, apply after the majority of basal leaves have emerged but prior to bud stage and at least 30 days prior to harvest. Use the higher specified rate for heavy infestations or when greater residual control is desired.

Tank Mixtures

This product may be tank mixed with other herbicides labeled for use on brassica (cole), leafy vegetable in Crop Group 5, including mustard greens.

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

NOTICE

Read the "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" in the label booklet for this product before using this product. Those terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

**Manufactured For Nufarm Americas Inc.
11901 S. Austin Ave. | Alsip, IL 60803**

(RV032217)

Clean Slate is a registered trademark of Nufarm Americas Inc.